

LAW OFFICES
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC
2100 PENNSYLVANIA AVENUE, N.W.
WASHINGTON, DC 20037-3213
TELEPHONE (202) 293-7060
FACSIMILE (202) 293-7860

J. Frank Osha, Esq.

Direct Dial No.: (202) 663-7915

E-Mail: fosha@sughrue.com

February 4, 1999

BOX PATENT APPLICATION

Assistant Commissioner for Patents

Washington, D.C. 20231

Re: Application of Takeshi KAMIMURA
IMAGE WORKFLOW SYSTEM
Our Ref. Q053219

Dear Sir:

Attached hereto is the application identified above including 15 sheets of the specification and claims, 4 sheets of informal drawings, and executed Declaration and Power of Attorney. The Assignment will be filed at a later date.

The Government filing fee is calculated as follows:

Total claims	13	-	20	=		x	\$18.00	=	
Independent claims	3	-	3	=		x	\$78.00	=	
Base Fee									\$760.00


TOTAL FILING FEE

\$760.00

A check for the statutory filing fee of \$760.00 is attached. You are also directed and authorized to charge or credit any difference or overpayment to Deposit Account No. 19-4880. The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 and any petitions for extension of time under 37 C.F.R. § 1.136 which may be required during the entire pendency of the application to Deposit Account No. 19-4880. A duplicate copy of this transmittal letter is attached.

Priority is claimed from February 5, 1998 based on Japanese Patent Application No. 24132/98. The priority document will be filed at a later date.

Respectfully submitted,
SUGHRUE, MION, ZINN,
MACPEAK & SEAS, PLLC
Attorneys for Applicant

By: 
J. Frank Osha
Reg. No. 24,625